



2009 Mathematics

Intermediate 1 Units 1, 2 & 3 Paper 1

Finalised Marking Instructions

© Scottish Qualifications Authority 2009

The information in this publication may be reproduced to support SQA qualifications only on a non-commercial basis. If it is to be used for any other purposes written permission must be obtained from the Question Paper Operations Team, Dalkeith.

Where the publication includes materials from sources other than SQA (secondary copyright), this material should only be reproduced for the purposes of examination or assessment. If it needs to be reproduced for any other purpose it is the centre's responsibility to obtain the necessary copyright clearance. SQA's Question Paper Operations Team at Dalkeith may be able to direct you to the secondary sources.

These Marking Instructions have been prepared by Examination Teams for use by SQA Appointed Markers when marking External Course Assessments. This publication must not be reproduced for commercial or trade purposes.

Part One: General Marking Principles for Mathematics Intermediate 1 Units 1, 2 & 3 Paper 1

This information is provided to help you understand the general principles you must apply when marking candidate responses to questions in this Paper. These principles must be read in conjunction with the specific Marking Instructions for each question.

1. Marks for each candidate response must always be assigned in line with these general marking principles and the specific Marking Instructions for the relevant question. If a specific candidate response does not seem to be covered by either the principles or detailed Marking Instructions, and you are uncertain how to assess it, you must seek guidance from your Team Leader/Principal Assessor. You can do this by posting a question on the Marking Team forum or by e-mailing/phoning the emarker Helpline. Alternatively, you can refer the issue directly to your Team Leader by checking the 'Referral' box on the marking screen.
2. Marking should always be positive, i.e. marks should be awarded for what is correct and not deducted for errors or omissions.
3. Award one mark for each 'bullet' point shown in the Marking Instructions.
4. Working subsequent to an error must be followed through with the possibility of awarding all remaining marks for the subsequent working, provided the question has not been simplified as a result of the error. In particular, the answer to one part of a question, even if incorrect, must be accepted as a basis for subsequent dependent parts of the question. Full marks in the dependent part(s) may be awarded provided the question has not been simplified.
5. Solutions which seem unlikely to include anything of relevance must nevertheless be followed through. Candidates still have the opportunity of gaining one mark or more provided the solution satisfies the criteria for the marks.
6. The following should not be penalised:
 - working subsequent to a correct answer (unless it provides firm evidence that the requirements of the question have not been met)
 - omission or misuse of units (unless marks have been specifically allocated for the purpose in the Marking Instructions)
 - bad form, eg $\sin x^\circ = 0.5 = 30^\circ$
 - legitimate variation in numerical values/algebraic expressions.
7. Full credit should only be given where the solution contains appropriate working. Where the correct answer may be obtained by inspection or mentally, credit may be given, but reference to this will be made in the Marking Instructions.
8. In general only give credit for answers if working is shown. A wrong answer without working receives no credit unless specifically mentioned in the Marking Instructions. The rubric on page one of the question paper states that 'full credit will be given only where the solution contains appropriate working'.
9. Sometimes the method to be used in a particular question is explicitly stated; no credit should be given where a candidate obtains the correct answer by an alternative method.
10. Where the method to be used in a particular question is not explicitly stated, full credit must be given for alternative methods which produce the correct answer.

11. Do not penalise the same error twice in the same question.
12. Do not penalise a transcription error unless the question has been simplified as a result.
13. Where a solution has been scored out and not replaced, then provided the solution is legible, marks should be awarded in line with the Marking Instructions for that question.
14. Where more than one solution is given, mark them all and award the least mark.
15. The symbols ✓ and ✕ are used in the Marking Instructions to give guidance regarding the awarding of marks for specific candidate responses to some questions, eg ‘award 2/4 ✓✕✕✓’ indicates that the 1st & 4th marks should be awarded but the 2nd & 3rd marks should not.

Part Two: Mathematics Intermediate 1: Paper 1, Units 1, 2 and 3

Question			Expected Answer/s	Max Mark	Additional Guidance
1	a		Ans: 33·05 • ¹ calculate $28\cdot7 + 4\cdot35$: 33·05	1	
1	b		Ans: 0·27 • ¹ calculate $1\cdot89 \div 7$: 0·27	1	
1	c		Ans: 26 • ¹ correct method: $6 \times 4 + 6 \times \frac{1}{3}$ • ² calculate $6 \times 4\frac{1}{3}$: 26	2	1. Correct answer without working award 2/2 2. Alternative strategy • ¹ $6 \times \frac{13}{3}$ • ² $\frac{78}{3}$ 3. Answers acceptable for full or partial credit (no working necessary) (a) $\frac{78}{3}$ award 2/2 (b) $24\frac{6}{3}$ award 1/2 ✓✗ 4. Answer acceptable for partial credit (working must be shown) $6 \times 4\cdot33(\dots) = 25\cdot98$ award 1/2 5. (a) $6 \times 4 + 6 \times \frac{1}{3} \rightarrow 24\frac{6}{18}$ award 1/2 ✓✗ (b) $24\frac{6}{18}$ with no working award 0/2 6. Do not accept (a) $6 \times 4\cdot3 = 25\cdot8$ award 0/2 (b) 78 award 0/2

Question			Expected Answer/s	Max Mark	Additional Guidance
2			<p>Ans: £1248</p> <ul style="list-style-type: none"> •¹ know to multiply 4.99 by 200 and then add 250 : $4.99 \times 200 + 250$ •² multiply and add correctly: 1248 	2	<ol style="list-style-type: none"> 1. Correct answer without working award 2/2 2. Answers acceptable for partial credit (no working necessary) (a) 998 [4.99×200] award 1/2 (b) 2245.5(0) [$(250 + 200) \times 4.99$] award 1/2 ×✓ 3. $250 + (200 \times 4.99)$ alone is insufficient evidence for awarding the 1st mark.
3	a		<p>Ans: - 4</p> <ul style="list-style-type: none"> •¹ calculate $9 + (-13)$: -4 	1	
3	b		<p>Ans: 7</p> <ul style="list-style-type: none"> •¹ calculate $-56 \div (-8)$: 7 	1	<ol style="list-style-type: none"> 1. Accept $56 \div 8 = 7$
4			<p>Ans: £275</p> <ul style="list-style-type: none"> •¹ calculate deposit: 25% of 260 = 65 •² calculate instalments: $15 \times 14 = 210$ •³ calculate total HP price: $65 + 210 = 275$ 	3	<ol style="list-style-type: none"> 1. Correct answer without working award 3/3 2. The 3rd mark is only available for correctly adding calculated deposit to calculated instalments eg (a) $65 + (14 \times 10 \times 5) = 65 + 700 = 765$ award 2/3 ✓×✓ (b) $65 + 14 = 79$ award 1/3 ✓××

Question			Expected Answer/s	Max Mark	Additional Guidance										
5	a		<p>Ans:</p> <table border="1"><tr><td>x</td><td>- 4</td><td>0</td><td>3</td><td>9</td></tr><tr><td>y</td><td>9</td><td>5</td><td>2</td><td>- 4</td></tr></table> <p>•¹ calculate y when $x = - 4$: $y = 9$</p> <p>•² calculate y when $x = 0$ and 9: $y = 5$ and $y = -4$</p>	x	- 4	0	3	9	y	9	5	2	- 4	2	
x	- 4	0	3	9											
y	9	5	2	- 4											
5	b		<p>Ans: straight line graph of $y = 5 - x$</p> <p>•¹ correctly plot all three points from the table</p> <p>•² draw straight line through the four points shown in the table (but see note 2)</p>	2	<p>1. If the line $y = 5 - x$ is drawn (even if this is not consistent with the points in the table) award 2/2 [minimum acceptable line: must extend to $(-1, 6)$ and $(6, -1)$]</p> <p>2. Where the four points in the table satisfy $y = x - 1$, the points are plotted and a line is drawn through them, award 1/2</p> <p>3. Where the four points plotted are consistent with the table and are not collinear, the 2nd mark is unavailable</p> <p>4. Where a line other than $y = 5 - x$ is drawn and (y, x) is consistently plotted, answer should be followed through with the possibility of awarding the 2nd mark</p>										
6			<p>Ans: 2.8</p> <p>•¹ know that PTR means $70 \times 0.5 \times 8$</p> <p>•² know that PTR/100 means $\text{PTR} \div 100$: $(70 \times 0.5 \times 8) \div 100$</p> <p>•³ multiply and divide correctly: $280 \div 100 = 2.8(0)$</p>	3	<p>1. Correct answer without working award 3/3</p> <p>2. $(70 + 0.5 \times 8) \div 100 = 78.5 \div 100 = 0.785$ [no working necessary] award 1/3 $\times \checkmark \times$</p> <p>3. Acceptable evidence for award of 2nd mark eg $\frac{280}{100} = 28, 0.28$ award 2/3 $\checkmark \checkmark \times$</p>										

Question			Expected Answer/s	Max Mark	Additional Guidance																								
7	a		Ans: 7 • ¹ find mode: 7	1																									
7	b		Ans: 6 • ¹ find range: 6	1																									
7	c		Ans: 7.5 • ¹ complete table: <div><div>36</div><div>40</div><div>11</div><div>300</div></div> • ² know to divide Σfx by 40: 300 ÷ 40 • ³ divide Σfx correctly: 300 ÷ 40 = 7.5	3	<div>1. Award of 1st mark: 36, 40, 11 and 300 need not appear in table but must be shown in working</div> <div>2.<table><tr><td></td><td><u>With evidence for 1st mark</u></td><td><u>Without evidence for 1st mark</u></td></tr><tr><td><u>Answer</u></td><td></td><td></td></tr><tr><td>7.5</td><td>3/3 ✓✓✓</td><td>2/3 ✕✓✓</td></tr></table></div> <div>3. 2nd mark may only be awarded for attempting $\Sigma fx \div 40$</div> <div>4. 3rd mark may only be awarded where answer to division of Σfx is given to one or more decimal places (accept rounding or truncation). Do not award 3rd mark where working is eased.<table><tr><td></td><td><u>With evidence for 1st mark</u></td><td><u>Without evidence for 1st mark</u></td></tr><tr><td><u>Answer</u></td><td></td><td></td></tr><tr><td>300 ÷ 7 = 42.9</td><td>2/3 ✓✕✓</td><td>1/3 ✕✕✓</td></tr><tr><td>or 42.8...</td><td></td><td></td></tr><tr><td>300 ÷ 6 = 50</td><td>1/3 ✓✕✕</td><td>0/3 ✕✕✕</td></tr></table></div>		<u>With evidence for 1st mark</u>	<u>Without evidence for 1st mark</u>	<u>Answer</u>			7.5	3/3 ✓✓✓	2/3 ✕✓✓		<u>With evidence for 1st mark</u>	<u>Without evidence for 1st mark</u>	<u>Answer</u>			300 ÷ 7 = 42.9	2/3 ✓✕✓	1/3 ✕✕✓	or 42.8...			300 ÷ 6 = 50	1/3 ✓✕✕	0/3 ✕✕✕
	<u>With evidence for 1st mark</u>	<u>Without evidence for 1st mark</u>																											
<u>Answer</u>																													
7.5	3/3 ✓✓✓	2/3 ✕✓✓																											
	<u>With evidence for 1st mark</u>	<u>Without evidence for 1st mark</u>																											
<u>Answer</u>																													
300 ÷ 7 = 42.9	2/3 ✓✕✓	1/3 ✕✕✓																											
or 42.8...																													
300 ÷ 6 = 50	1/3 ✓✕✕	0/3 ✕✕✕																											

Question		Expected Answer/s	Max Mark	Additional Guidance
8		<p>Ans: $x = 7$</p> <ul style="list-style-type: none"> •¹ start to collect like terms: $5x$ or 35 •² collect like terms and equate: $5x = 35$ •³ solve equation for x: $x = 7$ 	3	<p>1. For answers without valid working eg</p> <p>(i) $5x + 11 = 46 \rightarrow 35 \div 5 \rightarrow x = 7$ award 2/3 ✓ x ✓</p> <p>(ii) $x = 7$ without working award 1/3 x x ✓</p> <p>(iii) $35 \div 5 = 7$ award 1/3 ✓ x x</p> <p>(iv) $4 \times 7 + 11 = 46 - 7 \rightarrow x = 7$ award 1/3 x x ✓</p> <p>2. For the award of the 3rd mark an answer of the form '$x =$' is required.</p> <p>3. Answers acceptable for partial credit (valid working must be shown)</p> <div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <p>(i) $5x = 35 \rightarrow 7$ ✓ ✓ x</p> <p>(ii) $5x = 57 \rightarrow x = 11.4$ ✓ x ✓</p> <p>(iii) $3x = 35 \rightarrow x = 11.7$ or $11.6 \dots$ ✓ x ✓ (disregard incorrect rounding)</p> </div> <div style="font-size: 3em; margin-right: 10px;">}</div> <div>award 2/3</div> </div> <div style="display: flex; align-items: center; margin-top: 10px;"> <div style="margin-right: 10px;"> <p>(iv) $5x = 57 \rightarrow x = 11r2$ ✓ x x</p> <p>(v) $3x = 35 \rightarrow x = 11r2$ ✓ x x</p> <p>(vi) $3x = 57 \rightarrow x = 19$ x x ✓</p> </div> <div style="font-size: 3em; margin-right: 10px;">}</div> <div>award 1/3</div> </div>

Question			Expected Answer/s	Max Mark	Additional Guidance																		
9	a		<p>Ans: -7</p> <p>•¹ find correct number of points: $4 \times 2 - 15 = -7$</p>	1																			
9	b		<p>Ans:</p> <table><tr><th><u>Correct answer</u> +2 points</th><th><u>No answer</u> 0 points</th><th><u>Wrong answer</u> -1 point</th></tr><tr><td>10</td><td>0</td><td>10</td></tr><tr><td>9</td><td>3</td><td>8</td></tr><tr><td>8</td><td>6</td><td>6</td></tr><tr><td>6</td><td>12</td><td>2</td></tr><tr><td>5</td><td>15</td><td>0</td></tr></table> <p>•¹ complete one row correctly</p> <p>•² complete another two rows correctly</p> <p>•³ complete final two rows correctly</p>	<u>Correct answer</u> +2 points	<u>No answer</u> 0 points	<u>Wrong answer</u> -1 point	10	0	10	9	3	8	8	6	6	6	12	2	5	15	0	3	1. Assume blank cell = 0.
<u>Correct answer</u> +2 points	<u>No answer</u> 0 points	<u>Wrong answer</u> -1 point																					
10	0	10																					
9	3	8																					
8	6	6																					
6	12	2																					
5	15	0																					

TOTAL MARKS FOR PAPER 1

30



2009 Mathematics

Intermediate 1 Units 1, 2 & 3 Paper 2

Finalised Marking Instructions

© Scottish Qualifications Authority 2009

The information in this publication may be reproduced to support SQA qualifications only on a non-commercial basis. If it is to be used for any other purposes written permission must be obtained from the Question Paper Operations Team, Dalkeith.

Where the publication includes materials from sources other than SQA (secondary copyright), this material should only be reproduced for the purposes of examination or assessment. If it needs to be reproduced for any other purpose it is the centre's responsibility to obtain the necessary copyright clearance. SQA's Question Paper Operations Team at Dalkeith may be able to direct you to the secondary sources.

These Marking Instructions have been prepared by Examination Teams for use by SQA Appointed Markers when marking External Course Assessments. This publication must not be reproduced for commercial or trade purposes.

Part One: General Marking Principles for Mathematics Intermediate 1 Units 1, 2 & 3 Paper 2

This information is provided to help you understand the general principles you must apply when marking candidate responses to questions in this Paper. These principles must be read in conjunction with the specific Marking Instructions for each question.

1. Marks for each candidate response must **always** be assigned in line with these general marking principles and the specific Marking Instructions for the relevant question. If a specific candidate response does not seem to be covered by either the principles or detailed Marking Instructions, and you are uncertain how to assess it, you must seek guidance from your Team Leader/Principal Assessor. You can do this by posting a question on the Marking Team forum or by e-mailing/phoning the emarker Helpline. Alternatively, you can refer the issue directly to your Team Leader by checking the 'Referral' box on the marking screen.
2. Marking should always be positive, i.e. marks should be awarded for what is correct and not deducted for errors or omissions.
3. Award one mark for each 'bullet' point shown in the Marking Instructions.
4. Working subsequent to an error must be followed through with the possibility of awarding all remaining marks for the subsequent working, provided the question has not been simplified as a result of the error. In particular, the answer to one part of a question, even if incorrect, must be accepted as a basis for subsequent dependent parts of the question. Full marks in the dependent part(s) may be awarded provided the question has not been simplified.
5. Solutions which seem unlikely to include anything of relevance must nevertheless be followed through. Candidates still have the opportunity of gaining one mark or more provided the solution satisfies the criteria for the marks.
6. The following should not be penalised:
 - working subsequent to a correct answer (unless it provides firm evidence that the requirements of the question have not been met)
 - omission or misuse of units (unless marks have been specifically allocated for the purpose in the Marking Instructions)
 - bad form, eg $\sin x^\circ = 0.5 = 30^\circ$
 - legitimate variation in numerical values/algebraic expressions.
7. Full credit should only be given where the solution contains appropriate working. Where the correct answer may be obtained by inspection or mentally, credit may be given, but reference to this will be made in the Marking Instructions.
8. In general only give credit for answers if working is shown. A wrong answer without working receives no credit unless specifically mentioned in the Marking Instructions. The rubric on page one of the question paper states that 'full credit will be given only where the solution contains appropriate working'.
9. Sometimes the method to be used in a particular question is explicitly stated; no credit should be given where a candidate obtains the correct answer by an alternative method.
10. Where the method to be used in a particular question is not explicitly stated, full credit must be given for alternative methods which produce the correct answer.

11. Do not penalise the same error twice in the same question.
12. Do not penalise a transcription error unless the question has been simplified as a result.
13. Where a solution has been scored out and not replaced, then provided the solution is legible, marks should be awarded in line with the Marking Instructions for that question.
14. Where more than one solution is given, mark them all and award the least mark.
15. The symbols ✓ and ✕ are used in the Marking Instructions to give guidance regarding the awarding of marks for specific candidate responses to some questions, eg ‘award 2/4 ✓✕✕✓’ indicates that the 1st & 4th marks should be awarded but the 2nd & 3rd marks should not.

Part Two: Mathematics Intermediate 1: Paper 2, Units 1, 2 and 3

Question			Expected Answer/s	Max Mark	Additional Guidance
1			Ans: 225g <ul style="list-style-type: none"> •¹ correct strategy: $60 \div 8 \times 30$ •² correctly divide then multiply: 225 	2	1. Correct answer without working award 2/2 2. $60 \div 8 = 7.5$ (no working necessary) award 1/2 3. (a) $30 \div 8 = 3.75 \rightarrow 4 \times 60 = 240$ (working must be shown) award 1/2 $\times\checkmark$ (b) $4 \times 60 = 240$ award 0/2
2			Ans: $m < 39$ <ul style="list-style-type: none"> •¹ collect constants: $2m < 78$ •² solve inequality for m: $m < 39$ 	2	1. For answers without valid working award 1/2 eg (i) $m < 39$ without working $\times\checkmark$ (ii) $2 \times 39 - 3 < 75 \rightarrow m < 39$ $\times\checkmark$ 2. Answers acceptable for partial credit (valid working must be shown) (i) $2m < 78 \rightarrow m < 39$ $\checkmark \times$ (ii) $2m < 78 \rightarrow m = 39$ or $2m = 78 \rightarrow m < 39$ or $2m = 78 \rightarrow m = 39$ } award 1/2 (iii) $2m < 72 \rightarrow m < 36$ } $\times\checkmark$
3	a		Ans: 10 200 000 <ul style="list-style-type: none"> •¹ write 1.02×10^7 in full : 10 200 000 	1	1. Do not accept 1.0200000.
3	b		Ans: 9 450 000 <ul style="list-style-type: none"> •¹ interpret $\frac{3}{4}$ million: 750 000 •² subtract correctly: $10\,200\,000 - 750\,000 = 9\,450\,000$ 	2	1. Alternative method <ul style="list-style-type: none"> •¹ 7.5×10^5 •² $1.02 \times 10^7 - 7.5 \times 10^5 = 9.45 \times 10^6$

Question			Expected Answer/s	Max Mark	Additional Guidance										
4	a		<table><tr><td>1</td><td>9</td></tr><tr><td>2</td><td>3789</td></tr><tr><td>3</td><td>234788</td></tr><tr><td>4</td><td>145</td></tr><tr><td>5</td><td>0</td></tr></table> <ul style="list-style-type: none">•¹ stem correct: 1,2,3,4,5•² all leaves on correct level:•³ leaves ordered correctly:	1	9	2	3789	3	234788	4	145	5	0	3	 <
1	9														
2	3789														
3	234788														
4	145														
5	0														

Question			Expected Answer/s	Max Mark	Additional Guidance
5			<p>Ans: 8:05 am</p> <ul style="list-style-type: none"> •¹ know how to find journey time: $3220 \div 560$ •² find journey time: 5h 45m •³ know how to find arrival time: $9:20(\text{pm}) + 5\text{h}45\text{m} + 5\text{h}$ •⁴ find arrival time: 8:05(am) 	4	<ol style="list-style-type: none"> 1. Correct answer without working award 4/4 2. Minimum requirement for 4th mark: correctly adding a time involving hours and minutes to 9:20 3. Some common answers (no working necessary) <ul style="list-style-type: none"> (a) 8:05pm or 2005 award 3/4 ✓✓✓x (b) $9:20 + 5:45 - 5 = 10:05(\text{pm})$ or 2205 award 3/4 ✓✓x✓ (c) $3220 \div 560 = 5:75$ award 1/4 ✓xxx (d) 5:45(am/pm) award 2/4 ✓✓xx (e) $5:45 + 5 = 10:45$ award 2/4 ✓✓xx (f) $9:20 + 5 = 2:20$ award 0/4 (g) $9:20 + 5:45 = 3:05(\text{am})$ or 0305 award 3/4 ✓✓x✓ (h) 3:05pm or 1505 award 2/4 ✓✓xx

Question			Expected Answer/s	Max Mark	Additional Guidance
6	a		<p>Ans: $4t + 29$</p> <ul style="list-style-type: none"> •¹ multiply out one bracket: $6t + 15$ or $14 - 2t$ •² multiply out both brackets and know to add: $6t + 15 + 14 - 2t$ •³ collect like terms: $4t + 29$ 	3	<p>1. Correct answer without working award 3/3</p> <p>2. Some common answers (a) (i) $8t + 29$ award 2/3 (ii) $6t + 15 \quad 14 - 2t \rightarrow 8t + 29$ award 2/3 ✓✓× (b) (i) $6t + 15 \quad 14 - 2t$ award 1/3 ✓×× (ii) $6t + 15 = 14 - 2t$ award 1/3 ✓×× (c) 3rd mark is not available if there is invalid subsequent working eg $4t + 29 \rightarrow 33t$ award 2/3 $4t + 29 \rightarrow t = 29/4$ award 2/3</p>
6	b		<p>Ans: $4(3p - 5)$</p> <ul style="list-style-type: none"> •¹ identify common factor: 4 or $3p - 5$ •² factorise: $4(3p - 5)$ 	2	<p>1. $2(6p - 10)$ award 1/2 ×✓</p>
7			<p>Ans: 24</p> <ul style="list-style-type: none"> •¹ know how to find volume: $15 \times 10 \times 20$ •² know how to find number of glasses: $(15 \times 10 \times 20) \div 125$ •³ carry out calculations correctly: 24 	3	<p>1. Correct answer without working award 3/3</p> <p>2. Some common answers (no working necessary) 3000 $[15 \times 10 \times 20]$ award 1/3 ✓××</p>

Question			Expected Answer/s	Max Mark	Additional Guidance
8	a		<p>Ans: €1630</p> <ul style="list-style-type: none"> •¹ convert £1300 into euros: $1300 \times 1.26 = 1638$ •² round to nearest appropriate 10: 1630 	2	<p>1. Correct answer without working award 2/2</p> <p>2. 1030 [$1300 \div 1.26 = 1031.74\dots \rightarrow 1030$] award 1/2 $\times \checkmark$ (no working necessary)</p>
8	b		<p>Ans: £1293.65</p> <ul style="list-style-type: none"> •¹ know how to convert answer to (a) into sterling: $1630 \div 1.26$ •² convert answer to (a) into sterling rounded to nearest appropriate penny: 1293.65 	2	<p>1. Correct answer without working award 2/2</p> <p>2. Alternative method: (working must be shown) (i) $1300 - (8 \div 1.26) = 1293.65$ award 2/2 (ii) $8 \div 1.26 = 6.35$ award 1/2</p> <p>3. If (a) = 1640 then for (b) = 1301.58 or 1301.59 award 2/2 (no working necessary)</p> <p>4. If (a) = 1030 then for (b) = (i) 817.46 [$1030 \div 1.26$] (no working necessary) award 2/2 (ii) 1297.80 [1030×1.26] (no working necessary) award 1/2 $\checkmark \times$ [2nd mark is only available where answer has to be rounded or truncated to the nearest penny]</p> <p>5. Some common answers (no working necessary) 1294, 1293.7(0), 1293.6(0) award 1/2 $\checkmark \times$</p>

Question			Expected Answer/s	Max Mark	Additional Guidance
9	a		<p>Ans: 85</p> <ul style="list-style-type: none"> •¹ find angle at centre of “cycle” sector: 34 •² know how to find number of pupils who cycled: <ul style="list-style-type: none"> $34 \div 360 \times 900$ or $900 \div 360 \times 34$ or $34 \div (360 \div 900)$ •³ find number of pupils who cycled: 85 	3	<p>1. Correct answer without working award 3/3</p> <p>2. 815 [car + bus + walk = $326 \div 360 \times 900$] award 2/3 x✓✓ (no working necessary)</p> <p>3. Some common answers (working must be shown)</p> <ul style="list-style-type: none"> (a) 34% of 900 = 306 award 1/3 (b) $34 \div 360 = 0.094\dots$ award 2/3 (c) $34 \div 360 = 0.09$ award 1/3 (d) $900 \div 360 = 2.5$ award 1/3 (e) $360 \div 900 \times 34 = 13.6$, 14 or 13 award 2/3 (f) $360 \div 900 = 0.4$ award 0/3
9	b		<p>Ans: After the campaignmore walked ...more cycled ...fewer travelled by car ...fewer travelled by bus</p> <ul style="list-style-type: none"> •¹ state any one of the above : •² state another one of the above: 	2	<p>1. Answer must imply comparison of both pie charts</p> <ul style="list-style-type: none"> (a) increase, decrease, now, before, etc. \Rightarrow comparison eg award 2/2 for <ul style="list-style-type: none"> (i) now more walk and cycle (ii) more travelled by car or bus before (b) most, more, less \Rightarrow only one pie chart may have been considered eg award 0/2 for <ul style="list-style-type: none"> (i) more walk and cycle (ii) less travelled by car or bus <p>2. Disregard invalid statements</p>

Question			Expected Answer/s	Max Mark	Additional Guidance
10			<p>Ans: 62°</p> <ul style="list-style-type: none"> •¹ use correct cosine ratio: $\cos x^\circ = \frac{6}{7}$ •² correct use of \cos^{-1}: $\cos^{-1}\left(\frac{6}{7}\right)$ •³ carry out inverse trigonometric calculation: 31 •⁴ find shaded angle: 62 	4	<ol style="list-style-type: none"> 1. Some answers without working (a) 62 award 4/4 (b) 31 award 3/4 ✓✓✓x 2. Do not penalise inadvertent use of radians or grads 1(·08...) (radians used) award 4/4 69, 68·8(9), 68·9 (grads used) award 4/4 3. Award of 2nd mark (a) Accept $\cos^{-1}0.857\dots$, $\cos^{-1}0.86$, $\cos^{-1}0.85$ (b) Do not accept $\cos^{-1}0.9$, $\cos^{-1}0.8$ 4. Where an incorrect trig ratio is used, working should be followed through with the possibility of awarding 3/4. [Do not penalise premature rounding or truncation except in cases like 3(b) above] (a) $\sin^{-1}\left(\frac{6}{7}\right) = 59 \times 2 = 118$ award 3/4 x✓✓✓ (b) $\tan^{-1}\left(\frac{6}{7}\right) = 40.6 \times 2 = 81.2$ award 3/4 x✓✓✓ (c) $\tan^{-1}\left(\frac{7}{6}\right) = 49.4 \times 2 = 98.8$ award 3/4 x✓✓✓ (d) $\cos^{-1}\left(\frac{7}{6}\right)$ award 1/4 x✓xx 5. 4th mark only available for correctly doubling the answer to a trigonometric calculation.

Question			Expected Answer/s	Max Mark	Additional Guidance
11			<p>Ans: 4%</p> <ul style="list-style-type: none"> •¹ find increase: 700 •² know to express increase as a fraction of 17500: $\frac{700}{17500}$ •³ know to multiply fraction by 100: $\frac{700}{17500} \times 100$ •⁴ carry out all calculations correctly: 4 	4	<p>1. Correct answer without working award 3/4</p> <p>2. 4th mark is only available for calculations of the form $\frac{a}{b} \times 100$ or $\frac{a}{100} \times b$ where a,b = calculated increase or 17500 or 18200</p> <p>3. Some common answers (working must be shown)</p> <p>(a) 4, 3·8(...) [$\frac{700}{18200} \times 100$] award 3/4 ✓×✓✓</p> <p>(b) 104 [$\frac{18200}{17500} \times 100$] award 3/4 ×✓✓✓</p> <p>(c) 2500 [$\frac{17500}{700} \times 100$] award 3/4 ✓×✓✓</p> <p>(d) 96(...) [$\frac{17500}{18200} \times 100$] award 2/4 ××✓✓</p> <p>(e) 122 500 [$\frac{700}{100} \times 17500$] award 2/4 ✓××✓</p> <p>(f) 127400 [$\frac{700}{100} \times 18200$] award 2/4 ✓××✓</p> <p>(g) 3185000 [$\frac{17500}{100} \times 18200$ or $\frac{18200}{100} \times 17500$] award 1/4 ×××✓</p>

Question			Expected Answer/s	Max Mark	Additional Guidance
12			<p>Ans: 20 cm</p> <ul style="list-style-type: none"> •¹ correct form of Pythagoras Theorem: $85^2 - 40^2$ •² calculate difference (or sum) of squares: 5625 •³ calculate square root of difference (or sum) of squares: 75 •⁴ find gap: $75 - \frac{1}{2} \text{ of } 110 = 20$ 	4	<p>1. Some common answers (no working necessary)</p> <p>(a) 20 award 4/4</p> <p>(b) 75 award 3/4 ✓✓✓x</p> <p>2. Some common answers (working must be shown) [Do not penalise premature rounding or truncation]</p> <p>(a) 39, 38(9...) [$\sqrt{85^2 + 40^2} - 55$] award 3/4 x✓✓✓</p> <p>(b) 94, 93(9...) [$\sqrt{85^2 + 40^2}$] award 2/4 x✓✓x</p> <p>(c) 20925 [$85^2 + 40^2 + 110^2$] award 1/4 x✓xx</p> <p>3. 4th mark only available for correctly subtracting 55 from previously calculated value (working must be shown) eg $85 + 40 - 55 = 70$ award 1/4 xx x✓</p> <p>4. Award of first 2 marks if trigonometry is used:</p> <p>•¹ $\cos(\sin^{-1}(40/85)) = x/85$</p> <p>•² $x = 85 \times \cos(\sin^{-1}(40/85))$</p> <p>OR</p> <p>•¹ $\tan(\sin^{-1}(40/85)) = 40/x$</p> <p>•² $x = 40 \div \tan(\sin^{-1}(40/85))$</p> <p>OR</p> <p>•¹ $\sin(\cos^{-1}(40/85)) = x/85$</p> <p>•² $x = 85 \times \sin(\cos^{-1}(40/85))$</p> <p>OR</p> <p>•¹ $\tan(\cos^{-1}(40/85)) = x/40$</p> <p>•² $x = 40 \times \tan(\cos^{-1}(40/85))$</p>

Question	Expected Answer/s	Max Mark	Additional Guidance
13	<p>Ans: 12.4 m²</p> <ul style="list-style-type: none"> •¹ know to calculate area of semi-circle: $\frac{1}{2} \pi r^2$ •² substitute correct radius into formula: $\frac{1}{2} \times \pi \times 3^2$ •³ know to subtract area of rectangle from area of semi-circle: $\frac{1}{2} \times \pi \times 3^2 - 0.8 \times 2.2$ •⁴ carry out all calculations correctly: 12.37(7...) (must include a circle calculation involving either squaring or halving followed by subtraction or addition) •⁵ round to one decimal place: 12.4 	5	<p>1. Correct answer without working award 0/5</p> <p>2. Some common answers (working must be shown)</p> <p>(a)(i) 7.7 $[(\frac{1}{2}\pi r^2) = \frac{1}{2} \times \pi \times 3^2 - 0.8 \times 2.2]$ $= \frac{1}{2} \times \pi \times 6 - 0.8 \times 2.2]$ award 4/5 ✓✓✓x✓</p> <p>(ii) 7.7 $[(\frac{1}{2}\pi d) = \frac{1}{2} \times \pi \times 6 - 0.8 \times 2.2]$ award 4/5 x✓✓✓✓</p> <p>(b) 14.1 $[\frac{1}{2} \times \pi \times 3^2]$ award 3/5 ✓✓xx✓</p> <p>(c) 15.9 $[\frac{1}{2} \times \pi \times 3^2 + 0.8 \times 2.2]$ award 4/5 ✓✓x✓✓</p> <p>(d)(i) 17.1 $[(\pi r^2) = \pi \times 3^2 - 0.8 \times 2.2]$ $= \pi \times 6 - 0.8 \times 2.2]$ award 3/5 x✓✓x✓</p> <p>(ii) 17.1 $[(\pi d) = \pi \times 6 - 0.8 \times 2.2]$ award 3/5 x✓✓x✓</p> <p>(e) (i) 26.5 $[\pi \times 3^2 - 0.8 \times 2.2]$ award 4/5 x✓✓✓✓</p> <p>(ii) 26.5 $[3.14 \times 3^2 - 0.8 \times 2.2]$ award 3/5 x✓✓✓x</p> <p>(f) 28.3 $[\pi \times 3^2]$ award 2/5 x✓xx✓</p> <p>(g) 54.8 $[\frac{1}{2} \times \pi \times 6^2 - 0.8 \times 2.2]$ award 4/5 ✓x✓✓✓</p> <p>(h) 56.5 $[\frac{1}{2} \times \pi \times 6^2]$ award 2/5 ✓xxxx✓</p> <p>(i) 113.0 $[3.14 \times 6^2]$ award 1/5 xxxxx✓</p> <p>(j) 113.1 $[\pi \times 6^2]$ award 1/5 xxxxx✓</p> <p>3. (a) 5th mark is only available where the candidate is required to round final answer to one decimal place.</p> <p>(b) Versions of the above answers which are not rounded, incorrectly rounded or not requiring to be rounded should not be awarded the 5th mark.</p>

TOTAL MARKS FOR PAPER 2

50

TOTAL MARKS FOR PAPER 1 & 2

80

[END OF MARKING INSTRUCTIONS]